





trouble free for everyday living

trust

150 year heritage

fully developed technologies for creating floors, a guarantee of the quality and durability of products



- **▼ 5** production facilities across Europe: two in Poland, Romania, Ukraine, Croatia
- **80** countries covered by sales activity on 6 continents
- √ N°1 global manufacturer of natural 3-layer wooden floors
- adding new flooring categories
 all made in Europe in the newest factory

- √ 32 000 000 m² production capacity in all flooring categories
- **3600** employees
- GREEN company with unique business model

all made in Europe in the newest factor

health above all

we produce only certified products



Next Step Factory

MADE IN EUROPE



technology

the newest digital technology DLE+

- true to nature
 100% Embossed-in-Register surface
- 3D surface structures
- unlimited availability of depth levels and structure



- unique design by nature designs created with digital technology based on selected Barlinek wood flooring
- hyper-realistic visual precise reproduction of wood, stone, concrete
- pattern repeat minimum 24 unique planks minimum 48 unique herringbone boards

100% waterproof

- our floors are not affected by moisture, and the floorboard joints are waterproof
- easy to clean and maintain



- durability and surface resistance scratch and dent resistance achieved through the hardening stage
- transparent beveling
 bevel color unified with the decor
- ✓ ultra-matte lacquer natural floor effect; class: 34 – high traffic use for home and business

private label

custom-made decors* unlimited possibility in creating individual designs and colors *with required MOQ



quality

made in Europe





waterproof



true to nature



digital technology



stain resistant



durable class 34



underfloor heating



realistic structure



transparent bevel



ultra matte lacquer



drop lock



stability



quiet



antistatic



warranty



safe



eco












construction



- 1 surface coating top coat highly resistant to scratches and abrasions
- 2 embossing DLE+ system; brushed real wood structure effect
- 3 wear layer mechanical & abrasive resistance; highly transparent vinyl; abrasion rating: class 33-34

- 4 direct print
 with SuperHD digital
 technology pattern repeat
 at least 24 unique planks
- 5 core layer hard & flexible SPC mineral core dent resistant
- drop lock i4F patented and reliable waterproof locking system
- underlay integrated underlay XPO 1 mm with special static load resistance min. 400 KPa





large size



228,6 x 1523, thickness 5-6 mm



Balsamico Oak






Desert Oak Cinnamon Oak



Diamond Oak



Coffee Oak





large size



228,6 x 1523, thickness 5-6 mm














Gold Oak Cream Oak Antic Oak





standard size



198 x 1234, thickness 4,5-5,5 mm



Artcic Oak






Coconut Oak Almond Oak



Peach Oak



Honey Oak





standard size



198 x 1234, thickness 4,5-5,5 mm



Apricot Oak



Brass Oak



Pearl Oak



Barley Oak



Sunny Oak



Wheat Oak



offer

diversity of character and colors



different character



merchandising





displys

waterfall type

sample dimensions: 450 x 700 mm







sample dimensions: 592 x 892 mm





logistics



LARGE	length (mm)	width (mm)	product thickness (mm)	wear layer thickness (mm)	underlay thickness (mm)	number of panels in a package (pcs)
SPC	1523,0	228,6	5,0	0,5	0,0	7
SPC + integrated underlay	1523,0	228,6	6,0	0,5	1,0	6
	quantity in package (m²)	package weight (kg)	number of packages on a pallet (pcs)	quantity on pallet (m²)	net weight (kg) – without pallet	gross weight (kg) – witch pallet
SPC	2,44	25,29	42	102,48	1062,18	1099,85
SPC + integrated underlay	2,09	21,73	42	87,78	912,45	950,12
	pallet length (mm)	pallet width (mm)	gross height (mm) – witch pallet	number of pallets on the car 24t	number of m² on the car 24t	
SPC	1600	800	727,80	22	2254,56	
SPC+ integrated underlay	1600	800	740,40	25	2194,50	

STANDARD	length (mm)	width (mm)	product thickness (mm)	wear layer thickness (mm)	underlay thickness (mm)	number of panels in a package (pcs)
SPC	1234	198	4,5	0,3	0,0	10
SPC+ integrated underlay	1234	198	5,5	0,3	1,0	9
	quantity in package (m²)	package weight (kg)	number of packages on a pallet (pcs)	quantity on pallet (m²)	net weight (kg) – without pallet	gross weight (kg) – witch pallet
SPC	2,44	22,48	44	107,36	989,12	1024,1
SPC+ integrated underlay	2,20	20,67	40	88	826,8	861,8
	pallet length (mm)	pallet width (mm)	gross height (mm) – witch pallet	number of pallets on the car 24t	number of m² on the car 24t	
SPC	1 300	880	716,00	23	2469,28	
SPC+ integrated underlay	1 300	880	708,00	28	2464,00	

eco

environmental concern and a pro-ecological attitude are paramount values of the brand

pro-ecology campaigns



we plants trees

for every package of Barlinek flooring sold, we plant 1 tree; Barlinek Customers Forest is growing and today includes more than **18,000,000 trees**



we save peregrine falcons

thanks to the activity undertaken over the past few years it has been possible to return as many as **100** of these beautiful birds to the forests



we protect "Bartek" the oak

we also allocate funds to carry out the necessary renovation work to save the ancient Bartek Oak - Poland's most famous nature monument and one of the oldest trees (over 700 years old)

responsible production

- Next Step = zero waste
 all waste generated in the production process
 is reused through internal recycling
- √ 100% of required heat energy and 60% of electricity at the Barlinek factory is covered by our own production
- greenhouse gas emissions reduced by over 70%

✓ dust emissions limited to almost zero our filters remove 99% of dust

MADE IN EUROPE

- 100% precise and thorough segregation of all waste
- we use 100% of the wood; we digitize the most beautiful boards for the Next Step collection



<u>support</u>

our guarantees

- 100% digital quality control
- waterproof warranty
- 25/20 residential warranty, 5/3 years commercial*

*details in Terms of Use and Warranty

Barlinek

- dedicated customer service and after-sales support
- experienced team
 - training for installers
 - training for sellers
 - product presentations

marketing support

full package of marketing materials dedicated catalogs, leaflets, presentations, 3d renders

merchandising sales space design

industry fairs and events





PBarlinek DLE+
NextStep
MINERAL CORE FLOORING



♦Barlinek

Barlinek S.A.

al. Solidarności 36, 25-323 Kielce, Poland

barlinek.co.uk

if you want to know more

phone: +48 41 333 11 00 email: info@barlinek.com.pl



